



## Androlis Application instructions

Androlis is a living product containing predatory mites (*Androlaelaps casalis*) for the biological control of red bird mite (*Dermanyssus gallinae*) and other mites such as Northern mite. Infected birds can suffer stress and anaemia, which can sometimes lead to death. Other symptoms include cannibalism and a decrease in egg laying. Many of these parasitic mites are resistant to pesticides, so a different approach is required. ANDROLIS provides a natural solution using predatory mites that eat the eggs and adults of the red mites. ANDROLIS only feeds on the mites and is harmless to animals and humans.

### When and how often to apply

- Apply ANDROLIS when birds show symptoms of mite attack or as a preventative treatment with 2-3 applications during the season of mite activity, which is normally April-September outside.
- ANDROLIS can be applied every 4-8 weeks depending on the severity of the infestation.
- Apply the predators by pouring from the bottle or scooping from containers directly into or near the nesting areas of birds.
- ANDROLIS can also be placed inside MITE BOOSTER DISPENSER TUBES.
- MITE BOOSTER DISPENSER TUBES can be tied to roosting areas or the framework of chicken coops/aviaries.



Mite Booster Tube





## How to apply

- Apply the ANDROLIS Predators by pouring from the bottle or scooping from containers directly into or near nesting areas of birds.
- ANDROLIS can also be placed inside MITE BOOSTER DISPENSER tubes, which will then release the predators in targeted areas.
- MITE BOOSTER DISPENSER TUBES can be tied to roosting area or the framework of chicken coops or aviaries.
- If applying from a bottle rotate the bottle and gently shake the contents.
- For buckets and containers scatter and apply carrier material throughout nesting areas.

## Application and storage

- Apply your ANDROLIS as soon as possible after receipt, if this is not possible; ANDROLIS can be fridge stored for 1-2 days at between 5-15.c.
- Do not use pesticides before or during applications of ANDROLIS
- Table below provides a guide to dosage per unit size.

max # of units to be treated	Number of birds
ANDROLIS M	Treats 1-10 birds
ANDROLIS L	Treats up to 30 birds
ANDROLIS XL	Treats up to 100 birds
ANDROLIS XXL	Treats up to 200 birds

