



dragonfli



www.dragonfli.co.uk

Carnation Tortrix Moth Egg Killer Application Instructions

Please use immediately upon receipt for best results

Required Conditions:

- Temperature range: **15-35°C**
- **For indoor use only**
- Do not apply *Trichogramma* if insecticides have been used in the past 1-2 weeks

Before Application:

- Do not open the sachet. The sachet already contains a small emergence hole
- Manually remove any caterpillars before placing down the sachets
- Ensure the sachets are away from any Carnation Tortrix Moth Pheromone Traps so the wasps do not become caught. The wasps are not attracted to the pheromone.

Application:

- Place the sachets on a low level, horizontally, so the wasps will not be disturbed
- Ensure to avoid blocking the emergence hole
- Do not place objects on top of sachets as you may damage the pupae inside
- One sachet can treat an area of up to 25 square metres

Next steps:

- The parasitic wasps will emerge over a 2-4 week period. Replace after 4 weeks
- Observe pest levels and applying more *Trichogramma* if pest populations remain



Contact us





dragonfli





Long Lasting Pheromone Trap

For The Monitoring & Capture Of:

Carnation Tortrix Moth / Codling Moth



Pea Moth / Plum Fruit Moth / Leek Moth



Pack Contents:

- 1 Re-usable Pheromone Trap
- 1 Species Specific Pheromone Lure/Lures
- 1 String Hanger
- 1 Instruction Leaflet



Assembly Of Trap:

1. Remove paper from yellow sticky pad and place at bottom of bucket
2. Attach the clear bucket to the green (or yellow) funnel
3. Secure with the fixing strap by clipping the two arrow heads of strap into the corresponding holes of the funnel
4. Push the lid into top of the funnel by inserting the three legs into the holes in the top
5. Remove a pheromone lure from its foil sachet and place it in the plastic cage
6. Place the black cap on to the top of the plastic cage
7. Insert the plastic cage into lid
8. Attach the string hanger to the loops in the lid
9. Hang the trap in the desired area
10. Store any additional pheromone lures in a fridge or freezer

How To Use:

- 1 Place traps out from the end of April until the end of October
- 1 Apply one trap per 150 square metres
- 1 Hang traps at a height of approximately 1.5m
- 1 Replace the pheromone lure as per website directions. At the same time, empty the trap contents

**Dragonfli Ltd, Unit 5, Cherry Tree Farm, Sible Hedingham,
Essex, CO9 3LZ**

