



# Fungus Fly Killer

50m<sup>2</sup> & 100m<sup>2</sup> Nematode Packs

- Nematodes for the treatment of Fungus fly larvae (Fungus gnats, Sciarid fly larvae)
  - For application to soil & compost
- Packs contain live nematodes (*Steinernema* species)



# 25 Million Nematode Pack To Treat 50m<sup>2</sup>

## Preparation prior to application:



- Apply once Fungus fly/Sciarid fly activity is observed.
- Growing media/compost temperature should be above 10°C for nematode activity.
- Ensure compost/soil is moist at time of application.
- Avoid application in bright conditions, as nematodes are U.V sensitive.

## Application:



- Open nematode sachet and empty entire contents into a bucket of 2.5 litres of lukewarm water to create nematode concentrate solution.
- Stir thoroughly to break up and dissolve carrier material.
- Add 0.5 litre of nematode concentrate solution to an 8 litre watering can and fill with water.
- Using a coarse rose, apply contents to an area of 10 square metres.
- One pack will make 5 watering cans to treat an area up to 50 square metres.



- If applying to pots, make sure nematode solution reaches root zone at the bottom of pots.
- Use all the contents of the pack once opened and do not store made up concentrate solution.
- Nematodes can also be applied with some hose end feeders/ nematode applicators and sprayers.



## Post application:

- Ensure soil area is moist for up to 2 weeks after application.



# Fungus Fly Killer

Beneficial Nematodes

Application periods



- Please read inside of pack for detailed application information
- Use nematodes on receipt or fridge store (do not freeze)
  - Do not fridge store longer than use by date
- Fungus Fly Killer is safe for children, pets and wildlife



For more  
information visit  
[www.dragonfli.co.uk](http://www.dragonfli.co.uk)



dragonfli



[www.dragonfli.co.uk](http://www.dragonfli.co.uk)

# Mighty Mite Predatory Mites Application Instructions

*Please use immediately upon receipt for best results*

## **Required conditions:**

- Soil temperature: **15°C+**
- Apply in moist soil and, ideally, soil rich in organic material and of loose composition
- Do not apply Mighty Mite if insecticides have been used in the past 1-2 weeks

## **Before application:**

- Carefully rotate the bottle or tube to distribute the predators through carrier material
- Ensure soil is moist before applying predators

## **Application:**

- Spread material evenly onto soil or in pots
- Once opened apply all of the material and do not store
- Do not use any insecticides once the predators have been applied
- Repeat applications may be required for larger infestations

## **Next steps:**

- Observe pest levels over the next 7-10 days
- Apply more Mighty Mite if pest levels and damage do not decrease
- Consider applying Mighty Mite every 4 weeks as a preventative solution



Contact us