



dragonfli



www.dragonfli.co.uk

Pantry Moth Pheromone Trap Application Instructions

Required conditions:

- For indoor use only

Before application:

- If you are also using our Moth Egg Killer Sachets, ensure the trap is placed a distance from the sachets so the parasitic wasps do not get stuck in the trap
- Keep any unopened pheromone lures in the fridge or freezer when not required

Application:

- Push the trap together to form a tent-like structure, and peel off the paper inside to reveal the sticky surface
- Open the foil lure sachet, remove the pheromone lure and place it inside the trap
- The male Pantry Moths will then be lured into the trap by the pheromone and caught on the sticky pads inside
- Traps can be placed, or hung, in any food storage areas. The trap is safe, effective and releases no odours

Next Steps:

- To keep the trap active, replace the first pheromone lure after six weeks and use the second lure provided. The trap is supplied with the two lures to provide you with a 12 week catching period.
- We strongly recommend combined use of Pantry Moth Traps and our Pantry Moth Egg Killer Sachets to ensure Pantry Moths are being controlled at both adult and egg life cycle stages.



Contact us



dragonfli



www.dragonfli.co.uk

Pantry Moth Egg Killer Sachets Application Instructions

Please use immediately upon receipt

Required conditions:

- Temperature range: **15-35°C**
- For inside use only
- Do not apply the sachets if insecticides have been used in the past 1-2 weeks

Before application:

- Do not open the sachet. The sachet already contains a small emergence hole
- Clean affected food storage areas thoroughly before applying the sachets and avoid cleaning the area again until the sachets have been removed

Application:

- Place the sachets down horizontally onto shelves inside food storage areas
- Ensure to avoid blocking the emergence hole
- Do not place objects on top of sachets as you may damage the pupae inside
- Place the sachets low as the adult wasps tend to fly upwards
- One sachet can treat an area of up to 25 square metres

Next Steps:

- Observe Pantry Moth pest levels over the next 3 weeks and consider applying more *Trichogramma* if Pantry Moth larvae populations remain high
- Replace your sachets after 3 weeks
- Use our Pantry Moth Pheromone Traps to catch male adult moths; reducing mating and egg laying



Contact us