



# Pantry Moth Egg Killer Sachets (*Trichogramma*<u>evanescens</u>)

### Please use immediately upon receipt

#### **Required Conditions:**

- Temperature: between 15 and 35°C
- For inside use only
- Insecticides: Do not apply *Trichogramma* if insecticides have been used in the past 1–2 weeks

#### **Before Application:**

- Do not open the sachet. The sachet already contains a small emergence hole
- Clean the affected food storage area thoroughly before applying the sachets and avoid cleaning the area again until the sachets have been removed

#### **Application:**

- Place the sachets down horizontally on shelves inside food storage areas
- Ensure to avoid blocking the emergence hole
- Do not not place objects on top of sachets as you may damage the pupae inside
- The tiny *Trichogramma* wasps tend to fly upwards as they emerge from the sachet, so ensure there is sufficient space above the sachet to enable this
- One sachet can treat an area of up to 25 square metres

## **Next Steps:**

- The parasitic wasps will emerge over a 2-4 week period
- Observe Pantry Moth pest levels over the next 3 weeks and consider applying more *Trichogramma* if Pantry Moth larvae populations remain high
- Remove your sachets after 4 weeks
- Consider applying our **Pantry Moth Pheromone Traps** to catch the adult moths

www.dragonfli.co.uk