

dragonfli



www.dragonfli.co.uk

Carnation Tortrix Moth Egg Killer Application Instructions

Please use immediately upon receipt for best results

Required Conditions:

- Temperature range: **15-35°C**
- **For indoor use only**
- Do not apply *Trichogramma* if insecticides have been used in the past 1-2 weeks

Before Application:

- Do not open the sachet. The sachet already contains a small emergence hole
- Manually remove any caterpillars before placing down the sachets
- Ensure the sachets are away from any Carnation Tortrix Moth Pheromone Traps so the wasps do not become caught. The wasps are not attracted to the pheromone.

Application:

- Place the sachets on a low level, horizontally, so the wasps will not be disturbed
- Ensure to avoid blocking the emergence hole
- Do not place objects on top of sachets as you may damage the pupae inside
- One sachet can treat an area of up to 25 square metres

Next steps:

- The parasitic wasps will emerge over a 3 week period. Replace sachets after 3 weeks
- Observe pest levels and apply additional *Trichogramma* if pest populations remain



Contact us





dragonfli



Long Lasting Pheromone Trap

For The Monitoring & Capture Of:

Codling Moth / Pea Moth / Plum Moth / Leek Moth



Horse Chestnut Leafminer / Carnation Tortrix Moth



Pack Contents:

- 1 Re-usable pheromone trap
- 1 Species specific pheromone lure(s)



Assembly Of Trap:

1. Remove paper from yellow sticky pad and place at bottom of bucket
2. Attach the funnel to the bucket by aligning the slots on the funnel with the tabs on the bucket and twisting to lock together.
3. Attach the lid to the funnel by aligning the 4 inserts with the 4 pegs on the funnel. Push the pegs into the holes so the lid is fully attached.
4. Remove a pheromone lure from its sachet and place in the plastic cage, then fasten the cap onto the cage. Store additional lures in the fridge.
5. Push the lure cage through the hole in the lid from above so that the cage effectively hangs below the lid.
6. Thread the supplied hanging cord through the two tab-holes on the lid and tie at both ends.

How To Use:

- 1 Place traps out from the end of April until the end of October
- 1 One trap will cover over 250sqm (or one per tree if treating Horse Chestnut Leafminer)
- 1 Hang traps at 1.5m height (or within tree canopy if treating Horse Chestnut Leafminer)
- 1 Replace lures as per website directions and empty trap contents. Store additional lures in the fridge or freezer until required



Cap



Pheromone lure



Plastic cage



Lid



Funnel



Circular sticky card



Bucket

Dragonfli Ltd, Unit 5, Cherry Tree Farm, Sible Hedingham, Essex, CO9 3LZ

www.dragonfli.co.uk